EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14322	(707/10)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:26
L2	108	l1 and j2ee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:28
L3	30	l2 and (state$1 with server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:28
L4	21	l3 and (state$1 with object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:59
L5	135	l1 and (state$1 adj1 server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58
L6	51	l5 and (state$1 with object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:30
L7	4	l6 and j2ee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:28
L8	33	l6 and (replicat$5 or migrat$7 or persist$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58
L9	739	(717/120)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58

L10	227	I9 and (replicat$5 or migrat$7 or persist$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58
L11	14	I10 and (state$1 adj1 server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58
L12	14	I11 and (state$1 with object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:00
L13	13	I12 and servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:00
L14	2	I13 and (state$1 adj1 servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:00
S1	1735	((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:38
S2	279601	state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:30
S3	216	(((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:31
S4	79555	state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:31

EAST Search History

S5	102	((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 14:10
S6	576132	(state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:34
S7	102	(((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:34
S8	241987	((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with ($3memory or $3stor$3 or repositor$3 or database$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:38
S9	12014	((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with (disk$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:38

S10	99	((((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with ($3memory or $3stor$3 or repositor$3 or database$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:38
S11	14	(((((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with ($3memory or $3stor$3 or repositor$3 or database$1))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with (disk$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:49
S12	6	("5664090" | "5748882" | "6105148" | "6161219" | "6397379" | "6421739").PN.	USPAT	OR	OFF	2004/08/02 12:24

EAST Search History

S13	20	container$1 with manag$5 with $4bean$1	USPAT	OR	OFF	2004/08/02 13:09
S14	674	state$1 with manag$5 with type$1	USPAT	OR	OFF	2004/08/02 12:36
S15	0	(state$1 with manag$5 with type$1) same (memory with replicat$3)	USPAT	OR	OFF	2004/08/02 12:36
S16	0	(state$1 with manag$5 with type$1) and (container$1 with manag$5 with $4bean$1)	USPAT	OR	OFF	2004/08/02 12:36
S17	45	(state$1 with manag$5 with type$1) and (((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1))	USPAT	OR	OFF	2004/08/02 12:43
S18	294	(((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state near3 objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:39
S19	130	((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state near3 objects)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:39
S20	76	(((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state near3 objects)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:39
S21	76	((((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state near3 objects)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:40

| S22 | 75 | (((((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state near3 objects)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with ($3memory or $3stor$3 or repositor$3 or database$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/08/02 12:40 |
| S23 | 10 | ((((((((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1)) and (state near3 objects)) and (state$1 with (partition$4 or $3divid$3 or $3division$1 or segment$6 or compartment$9 or section$3))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with ($3memory or $3stor$3 or repositor$3 or database$1))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with (disk$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/08/02 12:41 |

S24	34	((state$1 with manag$5 with type$1) and (((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))	USPAT	OR	OFF	2004/08/02 12:43
S25	34	(((state$1 with manag$5 with type$1) and (((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))	USPAT	OR	OFF	2004/08/02 12:43
S26	34	((((state$1 with manag$5 with type$1) and (((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with ($3memory or $3stor$3 or repositor$3 or database$1))	USPAT	OR	OFF	2004/08/02 12:44

S27	2	(((((state$1 with manag$5 with type$1) and (((enterprise or entity) adj $4bean$1) or(persisten$2 adj object$1))) and (state$1 with (replicat$4 or duplicat$4 or reproduc$5 or copies or copy$3 or clon$3 or mirror$3))) and ((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with ($3memory or $3stor$3 or repositor$3 or database$1))) and (((state$1 or persisten$2) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) with (disk$1))	USPAT	OR	OFF	2004/08/02 12:44
S28	4	(container$1 with manag$5 with $4bean$1) and (state near3 objects)	USPAT	OR	OFF	2004/08/02 13:10
S29	3	("6016489" | "6125383" | "6453333").PN.	USPAT	OR	OFF	2004/08/02 15:00
S30	8	("5911071" | "6282580" | "6347342" | "6438617" | "6438744" | "6453356" | "6510550" | "6522343").PN.	USPAT	OR	OFF	2004/08/02 13:25
S31	69	persistent near2 software	USPAT	OR	OFF	2004/08/02 15:00
S32	0	(persistent near2 software) and EJB	USPAT	OR	OFF	2004/08/02 15:00
S33	3	"PowerTier"	USPAT	OR	OFF	2004/08/02 15:01
S34	2	("6098093" | "6115736").PN.	USPAT	OR	OFF	2004/08/02 17:10
S35	6	(US-6718538-$ or US-6169993-$ or US-6269373-$ or US-5905987-$ or US-6298478-$ or US-6769124-$). did.	USPAT	OR	OFF	2004/08/03 11:11
S36	1	((US-6718538-$ or US-6169993-$ or US-6269373-$ or US-5905987-$ or US-6298478-$ or US-6769124-$). did.) and checkpoint$3	USPAT	OR	OFF	2004/08/03 11:11
S37	6	("5664090" | "5748882" | "6105148" | "6161219" | "6397379" | "6421739").PN.	USPAT	OR	OFF	2004/08/03 16:47

S38	7	(US-6718538-$ or US-6169993-$ or US-6269373-$ or US-5905987-$ or US-6298478-$ or US-6769124-$ or US-6105148-$).did.	USPAT	OR	OFF	2004/08/04 13:27
S39	2	((US-6718538-$ or US-6169993-$ or US-6269373-$ or US-5905987-$ or US-6298478-$ or US-6769124-$ or US-6105148-$).did.) and lock$3	USPAT	OR	OFF	2004/08/04 14:21
S40	2	((US-6718538-$ or US-6169993-$ or US-6269373-$ or US-5905987-$ or US-6298478-$ or US-6769124-$ or US-6105148-$).did.) and lock$3	USPAT	OR	OFF	2004/08/04 12:19
S41	5	((US-6718538-$ or US-6169993-$ or US-6269373-$ or US-5905987-$ or US-6298478-$ or US-6769124-$ or US-6105148-$).did.) and ((repositor$3 or database$1 or server$1) with (specifi$6 or specify$3 or defin$6 or schem$2 or manag$5))	USPAT	OR	OFF	2004/08/04 13:16
S42	5	((US-6718538-$ or US-6169993-$ or US-6269373-$ or US-5905987-$ or US-6298478-$ or US-6769124-$ or US-6105148-$).did.) and ((repositor$3 or database$1 or server$1) with (specifi$6 or specify$3 or defin$6 or schem$2 or manag$5))	USPAT	OR	OFF	2004/08/04 13:16
S43	3	((US-6718538-$ or US-6169993-$ or US-6269373-$ or US-5905987-$ or US-6298478-$ or US-6769124-$ or US-6105148-$).did.) and ((migrat$3 or ship$4 or transport$6 or transfer$4 or replicat$3) with (repositor$3 or database$1 or server$1))	USPAT	OR	OFF	2004/08/04 13:41
S44	0	ejb same ((repositor$3 or database$1 or server$1) with migrat$3 with (specifi$6 or specify$3 or defin$6 or schem$2 or manag$5))	USPAT	OR	OFF	2004/08/04 14:11
S45	30	ejb and ((repositor$3 or database$1 or server$1) with migrat$3 with (specifi$6 or specify$3 or defin$6 or schem$2 or manag$5))	USPAT	OR	OFF	2004/08/04 13:34
S46	30	(ejb and ((repositor$3 or database$1 or server$1) with migrat$3 with (specifi$6 or specify$3 or defin$6 or schem$2 or manag$5))) and (state$3 near2 (object$1 or bean$1))	USPAT	OR	OFF	2004/08/04 13:36

S47	6	((ejb and ((repositor$3 or database$1 or server$1) with migrat$3 with (specifi$6 or specify$3 or defin$6 or schem$2 or manag$5))) and (state$3 near2 (object$1 or bean$1))) and ("717")".clss"	USPAT	OR	OFF	2004/08/04 13:36
S48	65	ejb and ((migrat$3 or ship$4 or transport$6 or transfer$4 or replicat$3) with (repositor$3 or database$1 or server$1))	USPAT	OR	OFF	2004/08/04 13:41
S49	34	(ejb and ((migrat$3 or ship$4 or transport$6 or transfer$4 or replicat$3) with (repositor$3 or database$1 or server$1))) and ((repositor$3 or database$1 or server$1) with (defin$3 or specifi$6 or specify$3 rule$1 or model$1 or strateg$3 or tactic$1 or procedure$1 or policy or policies or plan$4 or schem$2 or imperative$1 or logic$) with (migrat$3 or mov$3 or relocat$3 or transport$5 or ship$4))	USPAT	OR	OFF	2004/08/04 14:19
S50	34	((ejb and ((migrat$3 or ship$4 or transport$6 or transfer$4 or replicat$3) with (repositor$3 or database$1 or server$1))) and ((repositor$3 or database$1 or server$1) with (defin$3 or specifi$6 or specify$3 rule$1 or model$1 or strateg$3 or tactic$1 or procedure$1 or policy or policies or plan$4 or schem$2 or imperative$1 or logic$) with (migrat$3 or mov$3 or relocat$3 or transport$5 or ship$4))) and ((state$1 or persist$4) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))	USPAT	OR	OFF	2004/08/04 14:19

| S51 | 0 | (((ejb and ((migrat$3 or ship$4 or transport$6 or transfer$4 or replicat$3) with (repositor$3 or database$1 or server$1))) and ((repositor$3 or database$1 or server$1) with (defin$3 or specifi$6 or specify$3 rule$1 or model$1 or strateg$3 or tactic$1 or procedure$1 or policy or policies or plan$4 or schem$2 or imperative$1 or logic$) with (migrat$3 or mov$3 or relocat$3 or transport$5 or ship$4))) and ((state$1 or persist$4) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3))) and (((state$1 or persist$4) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) same ((repositor$3 or database$1 or server$1) with (defin$3 or specifi$6 or specify$3 rule$1 or model$1 or strateg$3 or tactic$1 or procedure$1 or policy or policies or plan$4 or schem$2 or imperative$1 or logic$) with (migrat$3 or mov$3 or relocat$3 or transport$5 or ship$4))) | USPAT | OR | OFF | 2004/08/04 14:21 |
| S52 | 0 | (ejb and ((migrat$3 or ship$4 or transport$6 or transfer$4 or replicat$3) with (repositor$3 or database$1 or server$1))) and (((state$1 or persist$4) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) same ((repositor$3 or database$1 or server$1) with (defin$3 or specifi$6 or specify$3 rule$1 or model$1 or strateg$3 or tactic$1 or procedure$1 or policy or policies or plan$4 or schem$2 or imperative$1 or logic$) with (migrat$3 or mov$3 or relocat$3 or transport$5 or ship$4))) | USPAT | OR | OFF | 2004/08/04 14:21 |

S53	1	(((state$1 or persist$4) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) same ((repositor$3 or database$1 or server$1) with (defin$3 or specifi$6 or specify$3 rule$1 or model$1 or strateg$3 or tactic$1 or procedure$1 or policy or policies or plan$4 or schem$2 or imperative$1 or logic$) with (migrat$3 or mov$3 or relocat$3 or transport$5 or ship$4))) and ejb	USPAT	OR	OFF	2004/08/04 14:22
S54	3	(((state$1 or persist$4) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) same ((repositor$3 or database$1 or server$1) with (defin$3 or specifi$6 or specify$3 rule$1 or model$1 or strateg$3 or tactic$1 or procedure$1 or policy or policies or plan$4 or schem$2 or imperative$1 or logic$) with (migrat$3 or mov$3 or relocat$3 or transport$5 or ship$4))) and ("717")".clss"	USPAT	OR	OFF	2004/08/04 14:23
S55	44	((state$1 or persist$4) with (stor$3 or sav$3 or maintain$3 or manag$3 or persist$3 or preserv$3 or conserv$5 or protect$3 or sustain$4 or $3guard$3 or secur$3 or retain$3)) same ((repositor$3 or database$1 or server$1) with (defin$3 or specifi$6 or specify$3 rule$1 or model$1 or strateg$3 or tactic$1 or procedure$1 or policy or policies or plan$4 or schem$2 or imperative$1 or logic$) with (migrat$3 or mov$3 or relocat$3 or transport$5 or ship$4))	USPAT	OR	OFF	2004/08/04 14:27
S64	2442	replicat$4 with servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:26
S65	14880	(replicat$4 or persist$5) with state$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:05

S66	434	S65 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:05
S67	121	S65 same S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:05
S68	4	S67 and (state$1 with (bean$1 or EJB$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:06
S69	4165	(replicat$4 or persist$5 or migrat$4) with servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:26
S70	351	S69 and (server$1 with (back?end or back?up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:27
S71	85	S70 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:22
S72	1898	bean$1 with state$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:23
S73	234	S72 and ((replicat$4 or persist$4 or migrat$4) with state$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:24
S74	161	S73 and ((replicat$4 or persist$4 or migrat$4) with (server$1 or storage$1 or back?end$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:24
S75	125	S74 and ((replicat$4 or persist$4 or migrat$4) with (server$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:25

S76	20	S74 and ((replicat$4 or persist$4 or migrat$4) with (servers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:25